

**GCSE**

**Mathematics (9-1)**

Unit **J560F/01**: Paper 1 (Foundation Tier)

General Certificate of Secondary Education

**Mark Scheme for June 2017**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

Annotations used in the detailed Mark Scheme.

<b>Annotation</b>	<b>Meaning</b>
✓	Correct
✗	Incorrect
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working (after correct answer obtained), provided method has been completed
M0	Method mark awarded 0
M1	Method mark awarded 1
M2	Method mark awarded 2
A1	Accuracy mark awarded 1
B1	Independent mark awarded 1
B2	Independent mark awarded 2
MR	Misread
SC	Special case
^	Omission sign

**Subject-Specific Marking Instructions**

1. **M** marks are for using a correct method and are not lost for purely numerical errors.  
**A** marks are for an accurate answer and depend on preceding **M** (method) marks. Therefore **M0 A1** cannot be awarded.  
**B** marks are independent of **M** (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.  
**SC** marks are for special cases that are worthy of some credit.
2. Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is not from wrong working **full marks** should be awarded.

Do not award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen and the correct answer clearly follows from it.

3. Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct.

Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, eg FT  $180 \times (\textit{their} '37' + 16)$ , or FT  $300 - \sqrt{(\textit{their} '5^2 + 7^2')}$ . Answers to part questions which are being followed through are indicated by eg FT 3  $\times$  *their* (a).

For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

4. Where dependent (**dep**) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
5. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
  - **cao** means **correct answer only**.
  - **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
  - **isw** means **ignore subsequent working** (after correct answer obtained).
  - **nfww** means **not from wrong working**.
  - **oe** means **or equivalent**.
  - **rot** means **rounded or truncated**.

- **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
  - **soi** means **seen or implied**.
6. Make no deductions for wrong work after an acceptable answer unless the mark scheme says otherwise, indicated for example by the instruction 'mark final answer'.
  7. As a general principle, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered, mark the poorer (poorest).
  8. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the **MR** annotation. **M** marks are not deducted for misreads.
  9. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
  10. If the correct answer is seen in the body and the answer given in the answer space is a clear transcription error allow full marks unless the mark scheme says 'mark final answer' or 'cao'. Place the annotation ✓ next to the correct answer.  
  
If the answer space is blank but the correct answer is seen in the body allow full marks. Place the annotation ✓ next to the correct answer.  
  
If the correct answer is seen in the working but a completely different answer is seen in the answer space, then accuracy marks for the answer are lost. Method marks would still be awarded. Use the **M0**, **M1**, **M2** annotations as appropriate and place the annotation ✗ next to the wrong answer.
  11. Ranges of answers given in the mark scheme are always inclusive.
  12. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
  13. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

Question			Answer	Marks	Part marks and guidance
1	(a)	(i)	44	1	$\pm 2^\circ$
		(ii)	Acute	1	Condone incorrect spelling
	(b)		Parallel	1	Condone incorrect spelling
2	(a)	(i)	>	1	
		(ii)	=	1	
	(b)	184 300	1		
	(c)	[0].625	1		
3	(a)	42	1		
	(b)	81	1		
	(c)	11, 23 and 41	2	<b>B1</b> for 2 or 3 correct with no more than 1 incorrect	
4			$\frac{28}{40}$ oe	3	<p><b>B2</b> for 0.7 or 70%</p> <p>OR</p> <p><b>B1</b> for 8 or 4 or 30/100 oe and</p> <p><b>M1</b> for 40 – <i>their</i> (8 + 4) soi by 28</p> <p>Answer must be a fraction ignore cancelling of fraction after <math>\frac{28}{40}</math> but not conversion to decimal or percentage</p> <p>Allow 8/40 or 4/40 or 12 nfww</p>

Question			Answer	Marks	Part marks and guidance	
5	(a)	(i)	(4, 3)	1		
		(ii)	(-2, -1)	1		
	(b)	Point plotted at (3, - 2)	1		Condone use of a letter (R) if clearly in correct position	
	(c)	line $y = 3$ drawn	1	minimum length 1 square		
6			9.2	3	M1 for $0.17 \times 54$ oe A1 for 9.18 If 0 scored <b>SC1</b> for <i>their</i> answer rounded to 1dp, if two dp or more seen.	Allow fully correct non calculator method for 1 mark allow 1 error in addition
7	(a)		$12t - 10u$ or $2(6t - 5u)$ cao	2	B1 for $12t$ or $- 10u$ in final answer	$12t + - 10u$ scores <b>B1</b>
	(b)		$5(v + 4w)$	1		Condone omission of final bracket
	(c)		-3 and -7	3	M2 for $(x + 3)$ and $(x + 7)$ M1 for $(x + a)$ and $(x + b)$ where $ab = 21$ or $a + b = 10$ B1 ft their quadratic factors If 0 scored <b>SC1</b> for answer $\pm 7$ and $\pm 3$	ft their quadratic factors condone omission of final bracket

Question		Answer	Marks	Part marks and guidance	
8	(a)	240	1		
	(b)	10	1		
	(c)	No, with correct supporting values and justification	4	<p><b>B3</b> for 1.374 to 1.38 [kg] or 1374 to 1380[g] or 74 to 80[g] or 0.074 to 0.08 [kg] or 14[.people]</p> <p>OR</p> <p><b>B1</b> for <math>1.3 \times 1000</math> soi by 1300 or <i>their</i> <math>1375 \div 1000</math> and <b>M1</b> for <math>15 \div 6</math> soi by 2.5 or <math>550 \div 6</math> soi by 91.6[6] or 91.7 and <b>M1</b> for <math>550 \times 2.5 = 1375</math> or <math>1300 \div</math> <i>their</i> 91.6[6] or <i>their</i> <math>91.6[6] \times 15</math></p>	Accept equivalent method
9	(a)	30	1		
	(b) (i)	15	1		
		24	1		
		13 39	1		
	(ii)	fully labelled pie chart with at least 3 sectors correctly drawn	2	<p><b>B1</b> for 1 correct sector correctly labelled or pie chart with at least 3 sectors correctly drawn with incorrect or no labels</p>	<p>Wayne 144 Harry 15 Obi 72 Antony 39</p> <p>Allow <math>\pm 2^\circ</math></p>



Question		Answer	Marks	Part marks and guidance	
10		No he has scored 85[.2%] or no he needs at least 52.46 (52.5/53) to pass oe	2	M1 for $52 \div 61$ or $52 \div 0.61$ soi by 0.85[2...] or 85[.2%] .. or $0.86 \times 61$ soi by 52.46 or 52.5 or 53	
11		Identifying there are not enough coaches or too many people with correct justification	2	M1 for $320 \div 53$ soi by 6.03[..] or $53 \times 6$ soi by 318 or 2 or $320 \div 6$ soi by 53.3	No, he needs 7 coaches alone scores 0 See appendix
12		8	2	M1 for $2 \times 16$ [ $\div 4$ ] or $16 \div 2$ (speed)	32 alone scores 0
13	(a)	3 cao	1		
	(b)	1.5	3	M1 for $6 \times 25000$ soi by 150 000 or B1 for figs 15 or 1cm :0.25km and M1 for <i>their</i> $150000 \div 100 000$ or for <i>their</i> $0.25 \times 6$	
	(c)	$\frac{6}{13}$	1		
14	(a)	$5.43 \times 10^5$	1		
	(b)	[0]. 063	1		
	(c)	No, it isn't in standard form, e.g it should be $2.4[4] \times 10^8$	1		See appendix

Question		Answer	Marks	Part marks and guidance		
15			19	5	<p><b>B4</b> for 12 nfww</p> <p>OR</p> <p><b>M1</b> for <math>x + 7</math> or <math>x - 7</math></p> <p><b>M1</b> for <math>x + 7 + x + 7 + x + x + x + x = 86</math></p> <p><b>M1</b> for <math>6x + 14 = 86</math> ft</p> <p><b>B1</b> for 12 ft</p> <p>OR</p> <p><b>M1</b> for <math>86 - 7 - 7</math></p> <p><b>A1</b> for 72</p> <p><b>M1</b> for <i>their</i> <math>72 \div 6</math></p> <p><b>A1</b> for 12</p> <p>OR</p> <p><b>M1</b> for <math>a = c + 7</math> oe</p> <p><b>M1</b> for <math>2a + 4c = 86</math> oe</p> <p><b>M1</b> for correct method to eliminate one variable allow one arithmetic error</p> <p><b>A1</b> for 12</p>	<p>Allow use of other letters</p> <p>accept equivalent methods e.g</p> <p><b>M1</b> for <math>y + 7</math> or <math>y - 7</math></p> <p><b>M1</b> for <math>y + y + y - 7 + y - 7 + y - 7 + y - 7 = 86</math></p> <p><b>M1</b> for <math>6y - 28 = [86]</math></p> <p><b>M1</b> for <math>6y = 114</math></p>

16	Question	Answer	Marks	Part marks and guidance	
		<p>Complete correct arc centred at B identified with full construction shown including either perpendicular bisector of AB (including arcs and intersecting the arc centred at B) or arc(s) of 5cm radius centred at A and intersecting the arc from B at 2 points</p>	<p><b>5</b></p>	<p><b>B4</b> 5cm arc centred at B with full construction shown including either perpendicular bisector of AB (including arcs and intersecting the arc centred at B) or arc(s) of 5cm (<math>\pm 0.2</math> cm) radius centred at A and intersecting the arc from B at 2 points</p> <p>OR</p> <p><b>B2</b> for complete arc 5cm (<math>\pm 0.2</math> cm) centred at B or <b>B1</b> for arcs 5cm (<math>\pm 0.2</math> cm) radius centred at B or continuous arc 5cm (<math>\pm 0.2</math> cm) radius centred at B, but not covering the whole of the required region, minimum span <math>30^\circ</math></p> <p>AND</p> <p><b>B1</b> for arc[s] centred at A radius 5cm (<math>\pm 0.2</math> cm) or a perpendicular bisector of AB</p> <p>OR</p> <p><b>B1</b> for minimum of 3 points in the correct position without arc from B</p>	<p><b>B4</b> is fully correct without the correct locus identified</p> <p>Complete arc for the region required</p>

Question		Answer	Marks	Part marks and guidance	
17		277 830	3	M2 for $240000 \times 1.05^3$ or M1 for $240000 \times 1.05^2$ soi by or 264600 If 0 scored <b>SC1</b> for 291721[.5] or 291722	
18	(a)	$2 \times 5 \times 7^2$ oe	2	B1 for only 2, 5 and 7 identified or M1 for any correct factor pair of 490	Condone inclusion of 1 for B1 Not 1 and 490
	(b)	12 20 [pm]	4	SC3 for 1220 am  OR  B2 for LCM as 200 and M1 for 9:00 plus <i>their</i> LCM  OR  M1 for $25 = 5 \times 5$ and $40 = 2 \times 2 \times 2 \times 5$ and M1 for 9:00 plus <i>their</i> LCM  OR  B1 for listing [0]925, [0]950, 1015 and B1 for listing [0]940, 1020, 1100	

Question		Answer	Marks	Part marks and guidance	
19	(a)	0.7 0.8 , 0.2, 0.8, 0.2	1 1		
	(b)	0.76 with a complete correct method	2	<b>M1</b> for one correct product from <i>their</i> probabilities	e.g $1 - 0.24 = 0.76$ or $0.06 + 0.56 + 0.14 = 0.76$ Marks may be awarded for work on the diagram
20		34.5	3	<b>M2</b> for $38.64 \div 1.12$ oe or <b>B1</b> for 1.12 or 112	

Question		Answer	Marks	Part marks and guidance	
21		214	5	<p><b>B4</b> for 214.2 or 214.24 to 214.26</p> <p>OR</p> <p><b>B1</b> for 60 marked or used as width of rectangle or distance from B to the corner</p> <p>AND</p> <p><b>M2</b> for <math>\frac{1}{4} \times \pi \times 120</math> soi by <math>30\pi</math>, 94.2 or 94.24 to 94.26 or <b>M1</b> for <math>\pi \times 120</math> soi by 376.8 to 377.1 or <math>\frac{1}{2} \pi \times 120</math> soi by 188.4 to 188.6</p> <p>AND</p> <p><b>M1</b> for <math>2 \times</math> <i>their</i> 60 + <i>their</i> <math>30\pi</math></p> <p>AND</p> <p><b>B1</b> for their final answer written to more than 3 figs correctly rounded to 3 s.f.</p> <p><u>to a max. of 4 marks</u></p>	<p>Accept <math>120 + 30\pi</math> for <b>B4</b></p> <p>Allow e.g. <math>r = 60</math> for <b>B1</b></p>

Question		Answer	Marks	Part marks and guidance	
22	(a)	135	2	<b>B1</b> for <u>angle</u> 45	e.g 45 marked at ACB or ABC or 180 – 45 or 90 + 45
	(b)	209 to 209.1	4	<p><b>M2</b> for <math>\tan^{-1}(45 \div 25)</math> or <math>\tan^{-1}(25 \div 45)</math> soi by 61, 60.94 to 60.95 or 29[.1] , 29.05...</p> <p>or</p> <p><b>M1</b> for <math>\tan [=] 45 \div 25</math> or <math>\tan [= ] 25 \div 45</math></p> <p>AND</p> <p><b>M1</b> for 270 – <i>their angle</i>ABD or 180 + <i>their angle</i>ADB</p>	<p>Accept longer methods but they must get to the equivalent point to gain credit e.g. if they find the hypotenuse, they score <b>MO</b> until they start to use sin or cos.</p> <p>Can be implied by <i>their</i> answer</p>
23	(a)	4 points accurately plotted	2	<b>B1</b> for 2 or 3 points accurately plotted	Condone missing or incorrect lines

Question		Answer	Marks	Part marks and guidance	
	(b)	<p>Here are 4 different categories ,</p> <ul style="list-style-type: none"> <li>• Compares the number of people in the whole of 2015 to the whole of 2016 (e.g. there were more people shopping in 2016)</li> <li>• Compares same seasons in 2015 with seasons in 2016 (e.g there were more in Jul–Sept 2016 than in 2015)</li> <li>• Compares seasons within the same year (e.g in 2016 there were more customers in the summer months)</li> <li>• Compares increases / decreases in the number of customers, referring to gradients (e.g the biggest change was between Jul–Sept and Oct-Dec)</li> </ul> <p>Do not allow comparisons that only refer to the shape of the graph ( e.g, it goes up and down again or it peaks in Jul–Sept)</p> <p>1 mark for each acceptable comment - for 2 marks they must come from different categories</p>	2	B1 for 1 correct comment	<p>If they make 3 comments mark the best 2.</p> <p>It is possible to cover 2 categories in one comment for 2 marks</p>



Question		Answer	Marks	Part marks and guidance	
24	(a)	24 31	5	<p><b>M1</b> for <math>3X + 2Y = 134</math> oe</p> <p><b>M1</b> for <math>2X + 5Y = 203</math> oe</p> <p><b>M1</b> for multiplying both equations by scalars to equate coefficients of one variable (allow one arithmetic error)</p> <p><b>M1</b> for correct method to eliminate one variable (allow one arithmetic error)</p> <p>if <b>M4</b> not scored award <b>B3</b> for one correct answer</p>	<p>allow any correct method e.g. substitution</p> <p><b>M1</b> for rearranging one equation to make X or Y the subject,</p> $X = \frac{134 - 2Y}{3}$ <p><b>M1</b> for substitution of <i>their</i> expression in the other equation</p>
	(b)	Any correct comment relating to distance	1		See appendix

## APPENDIX

### Exemplar responses for Q11

Response	Mark
No – 6 coaches only hold 318 people which is 2 short	2
Gary needs an extra coach for the other 2 people	2
$320 \div 6 = 53.3333..$ no you can't split a person up into 3 parts, you will need 7 coaches	2
$320/53 = 6.03$ No because it's a decimal you need to round up not down	2
$53 \times 6 = 318$ Gary is not correct as 6 coaches will mean 2 people will not be aloud on the coaches	2
Gary is incorrect 6 coaches only hold 318 people so he needs 7	2
6 coaches hold 318 so there will be 2 people left	2 bod
$320/53 = 6.03....$ No he is wrong he will need more	2
Gary is correct $320/53 = 6.0$	1
$320/6 = 53.3$ Not enough room one person will be left behind ( <i>in fact two people are left behind!</i> )	1

Exemplar responses for Q14c

<b>Response</b>	<b>Mark</b>
He is not correct because the decimal point was moved to make a number bigger than 10	<b>1 bod</b>
No because the number has to be between 1 and 10	<b>1 bod</b>
No because the number has to be between 1 and 9, it should be $2.44 \times 10^8$	<b>1 bod</b>
No because the decimal has to be lower than 10	<b>1 bod</b>
No only 1 number should be before decimal point and he wrote 2	<b>1</b>
It should be $2.44 \times 10^8$	<b>1</b>
Standard form is $2.44 \times 10^8$	<b>1</b>
No because the number has to be between 1 and 9	<b>0</b>
Pierre is not correct as it is $2.44 \times 10^7$ and he got $24.4 \times 10^7$	<b>0</b>
No the power should be 8	<b>0</b>

Exemplar responses for Q24b

<b>Response</b>	<b>Mark</b>
He does no other driving other than routes X and Y in the week	<b>1</b>
There are no diversions or detours	<b>1</b>
He sets off from the same place each time	<b>1</b>
That he only drives these two routes	<b>1</b>
They are the same 2 routes and never change	<b>1</b>
He could of gone to other routes as well as X & Y routes. He didn't drive anywhere else.	<b>1</b>
That Dan isn't driving anywhere else during the week	<b>1</b>
The routes are correctly measured	<b>1</b>
He takes exactly the same route each time	<b>1</b>
He hasn't taken any breaks	<b>0</b>
There are no stops	<b>0</b>
There is no traffic jams	<b>0</b>
He does not cancel his drive	<b>0</b>
That no stops in petrol stations were made	<b>0</b>
Y has a longer route than X	<b>0</b>
Dan prefers to drive route Y as he has driven it more than route X	<b>0</b>
He didn't drive route X or Y there and back	<b>0</b>
That there is no traffic or road works	<b>0</b>

**OCR (Oxford Cambridge and RSA Examinations)**  
**1 Hills Road**  
**Cambridge**  
**CB1 2EU**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

**[www.ocr.org.uk](http://www.ocr.org.uk)**

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
**is a Company Limited by Guarantee**  
**Registered in England**  
**Registered Office; 1 Hills Road, Cambridge, CB1 2EU**  
**Registered Company Number: 3484466**  
**OCR is an exempt Charity**

**OCR (Oxford Cambridge and RSA Examinations)**  
**Head office**  
**Telephone: 01223 552552**  
**Facsimile: 01223 552553**

© OCR 2017

